




Turbo Brush TBA

Effective working width	270 mm
Brush rotation	Düpro high efficiency turbine
Double swivel neck	32mm or 35mm
Universal use	4 wheels for carpets and hard surface floors




Turbo Brush BT Turbomatic

The TURBOMATIC is a totally new Turbo Brush concept. The TURBOMATIC adjusts the performance of the turbine automatically to the requirements of the brush (comparable to the automatic transmission in an automobile). I.e. on hard surface floors, light carpets or when lifted above ground the brush only rotates at low speed. As soon as the brush needs the full power of the turbine (on critical carpets, at reduced suction power or when the paper bag is getting full) the turbine switches due to the Turbomatic mechanism to high power

Advantages of the Turbomatic:

- automatic adjustment of the power according to the requirements of the brush
- low noise, because the turbine only rotates at low speed when lifted
- increased security, the brush only rotates at low speed when lifted off the ground

Effective working width	275 mm
Brush rotation	Automatic adjustment variable to the load
Double swivel neck	32mm or 35mm
Movable Bottom Plate	easy to maneuver, efficient cleaning
Removable Bottom Plate	easy access to the brush
Air Switch	manual adjustment of the motion resistance
Universal use	4 wheels for carpets and hard surface floors



Turbo Brush BT Turbo

Effective working width	275 mm
Brush rotation	Düpro high efficiency turbine
Double swivel neck	32mm or 35mm
Movable Bottom Plate	easy to maneuver, efficient cleaning
Removable Bottom Plate	easy access to the brush
Air Switch	manual adjustment of the motion resistance
Universal use	4 wheels for carpets and hard surface floors



Turbo Brush CMT

Effective working width	305 mm
Brush rotation	Düpro high efficiency turbine
Double swivel neck	32mm or 35mm
Air Switch	manual adjustment of the motion resistance
Universal use	wheels for carpets and hard surface floors